

Markov Chain Examples



This Hypercard stack was prepared by:
Dennis L. Bricker,
Dept. of Industrial Engineering,
University of Iowa,
Iowa City, Iowa 52242
e-mail: dennis-bricker@uiowa.edu

©Dennis Bricker, U. of Iowa, 1997

- ➡ Allcity Auto Insurance
- ➡ Airline credit cardholders
- ➡ Airline departures
- ➡ Airline reservation system
- ➡ Refrigerator warranty
- ➡ Used textbook sales
- ➡ "Passing the buck"

©Dennis Bricker, U. of Iowa, 1997

Example

Allcity Insurance Co. sets auto insurance premiums based upon a customer's accident history.

Premium	Accident History
\$100	no accident during past 2 years
\$400	accident during each of last 2 yrs.
\$300	accident during only 1 of last 2 yrs.



©Dennis Bricker, U. of Iowa, 1997

A customer who has had an accident during the last year has a 10% chance of having an accident during the current year.

If he/she has not had an accident during the last year, there is only a 3% chance of having an accident during the current year.

During a typical year, what is the average premium paid by an Allcity customer?

Model

©Dennis Bricker, U. of Iowa, 1997

States of System

At the end of each year, the policyholders will be determined to be in one of the 4 states:

1. No accidents during current & previous years
2. Accidents during both current & previous years
3. No accident in current year, but accident in the previous year
4. Accident in current year, but no accident in the previous year

©Dennis Bricker, U. of Iowa, 1997

Transitions between states

accidents in
neither of
past 2 years



accidents in
both of past
2 years


accident in
previous year,
none in current
year



accident in current
year, but not previous
year

©Dennis Bricker, U. of Iowa, 1997

Transitions between states



©Dennis Bricker, U. of Iowa, 1997

Auto Insurance PolicyTransition Probability Matrix

f				
r				
o	1	2	3	4
m	---	---	---	---
1	0.97	0	0	0.03
2	0	0.1	0.9	0
3	0.97	0	0	0.03
4	0	0.1	0.9	0

©Dennis Bricker, U. of Iowa, 1997

Steady State Distribution

i	$P\{i\}$
1	0.93870968
2	0.0032258065
3	0.029032258
4	0.029032258

©Dennis Bricker, U. of Iowa, 1997

Auto Insurance PolicyMean First Passage Times

f	to			
r	--			
o	1	2	3	4
m	-----	-----	-----	-----
1	1.0652921	343.33333	34.444444	33.333333
2	2.1764032	310	1.1111111	34.444444
3	1.0652921	343.33333	34.444444	33.333333
4	2.1764032	310	1.1111111	34.444444

©Dennis Bricker, U. of Iowa, 1997

Auto Insurance Policy

<u>i</u>	<u>Pi</u>	<u>C</u>	<u>Pi×C</u>
1	0.93870968	100	93.870968
2	0.0032258065	400	1.2903226
3	0.029032258	300	8.7096774
4	0.029032258	300	8.7096774

The average cost/period in steady state is 112.58065

©Dennis Bricker, U. of Iowa, 1997

Auto Insurance Policy

Present value of all future costs, for each initial state:
(using interest rate 10%, i.e. discount factor 0.90909091)

<u>i</u>	<u>PV</u>
1	1219.4175
2	1717.4757
3	1419.4175
4	1617.4757

©Dennis Bricker, U. of Iowa, 1997

Example

A recently-completed survey of subscribers to a travel magazine shows that 65% of them have at least one airline credit card. When compared to a similar survey taken 5 years ago, the data indicate that 40% of those individuals who did not have an airline credit card subsequently have obtained one, while 10% of those who carried such cards 5 years ago no longer do so.

Assuming these trends continue, what fraction of subscribers will own airline credit cards

(i) 10 years from now?

(ii) over the long run? ↩

©Dennis Bricker, U. of Iowa, 1997

Example

An airline with a 7:15 am commuter flight between NY and DC does not want the flight to depart late 2 days in a row. If the flight leaves late one day, the airline makes a special effort to have the flight leave on time, and succeeds 90% of the time.

If the flight was not late in leaving the previous day, the airline makes no special effort, and the flight departs as scheduled 60% of the time.

What percentage of the time is the flight late in departing? How frequently do they depart late 2 days in a row? ↩

©Dennis Bricker, U. of Iowa, 1997

Example

An airline reservation system has 2 computers.

- only one is in operation at any given time, while the other is used as a back-up.
- a computer may break down on any given day with probability $p = 5\%$
- there is a single repair facility, which takes 2 days to restore a computer to normal. The repair facility can deal with only one computer at a time.

What is the average time between system failures, i.e., days in which neither computer is functioning?



Model

©Dennis Bricker, U. of Iowa, 1997

Assume that the system is observed at the end of each day, and that, to simplify the model,

- any computer failures occur at the end of the day
- both repair of the failed machine and the beginning of use of the back-up machine begins the next morning

©Dennis Bricker, U. of Iowa, 1997

States of System

1. Both computers are operational
2. Only one computer is operational, with the first machine having failed during the current day (so that repair has not yet begun)
3. Only one computer is operational, and the first day of repairs has been completed on the failed machine
4. Neither computer is operational: the first day of repairs has been completed on the first machine to go down.

©Dennis Bricker, U. of Iowa, 1997

Transitions between states

both
computers
operational



1 operational,
repairs not yet
begun on the
down machine


1 operational,
1 day's
repairs are
completed



neither is
operational;
1 day's repairs
completed

©Dennis Bricker, U. of Iowa, 1997

Transitions between states




©Dennis Bricker, U. of Iowa, 1997

Transitions between states

FROM STATE

2




©Dennis Bricker, U. of Iowa, 1997

Transitions between states


FROM STATE

3




©Dennis Bricker, U. of Iowa, 1997

Transitions between states



©Dennis Bricker, U. of Iowa, 1997

Transitions between states



©Dennis Bricker, U. of Iowa, 1997

Airline Reservation System**Transition Probability Matrix**

		to			
		1	2	3	4
f	1	0.95	0.05	0	0
r	2	0	0	0.95	0.05
o	3	0.95	0.05	0	0
m	4	0	1	0	0

©Dennis Bricker, U. of Iowa, 1997

Steady State Distribution

i	$P\{i\}$
1	0.90024938
2	0.049875312
3	0.047381546
4	0.0024937656

©Dennis Bricker, U. of Iowa, 1997

Airline Reservation System

Mean First Passage Times

		to			
		1	2	3	4
f	1	1.1108033	20	21.105263	420
r	2	2.2160665	20.05	1.1052632	400
o	3	1.1108033	20	21.105263	420
m	4	3.2160665	1	2.1052632	401

©Dennis Bricker, U. of Iowa, 1997

<p>First-Passage Probabilities to State 4 from State 1</p>
--

<u>n</u>	<u>$f_{14}^{(n)}$</u>
1	0
2	0.0025
3	0.002375
4	0.002375
5	0.0023690625
6	0.0023634219
7	0.0023577813
8	0.0023521547
9	0.0023465416
10	0.0023409419
11	0.0023353555
12	0.0023297825
13	0.0023242227
14	0.0023186763
15	0.002313143
sum=	0.033001084

©Dennis Bricker, U. of Iowa, 1997

Example

Coldspot manufactures refrigerators. The company has issued a warranty on all refrigerators that requires free replacement of any refrigerator that fails before it is 3 years old.

- 3% of all new refrigerators fail during their first year of operation
- 5% of all 1-year-old refrigerators fail during their second year of operation
- 7% of all 2-year-old refrigerators fail during their third year of operation



©Dennis Bricker, U. of Iowa, 1997

Replacement refrigerators are not covered by the warranty.

What fraction of the refrigerators will Coldspot have to replace?

Suppose that it costs Coldspot \$500 to replace a refrigerator, and that the company sells 10,000 units per year. How much would be saved in replacement costs by reducing the warranty period to 2 years?

©Dennis Bricker, U. of Iowa, 1997

Example

The best-selling textbook, *The Joy of O.R.*, sells 100,000 copies every fall. Some users of the book will keep it, and some sell the book back to the bookstore.

- 90% of all students who buy a new book sell it back, 80% of all who buy a once-used book sell it back, and 60% of all who buy a twice-used book sell it back.
- If a book has been used 4 or more times, the cover falls off, and it cannot be sold back.



©Dennis Bricker, U. of Iowa, 1997

The bookstore's profit on each type of book is

New: \$6.00

Once-used: \$3.00

Twice-used: \$2.00

Thrice-used: \$1.00

©Dennis Bricker, U. of Iowa, 1997

- *In the steady state, how many new copies of the textbook will the publisher be able to sell each year?*
- *What will be the bookstore's average profit per book?*
- *What is the average number of years that a textbook circulates?*
- *What is the average age of a circulating textbook?*

Model

©Dennis Bricker, U. of Iowa, 1997

If we define the "system" to be a single book, with an absorbing state representing the book being out of circulation, then we cannot easily answer the question concerning the average profit per book sold by the bookstore.

Instead, we define the "system" to be a unit of inventory of the text on the bookstore shelf, with books taken out of circulation being replaced by new books from the publisher.

©Dennis Bricker, U. of Iowa, 1997


States of System

(observed at the beginning of each semester in which the book is used.)

1. New book
2. Once-used book
3. Twice-used book
4. Thrice-used book

©Dennis Bricker, U. of Iowa, 1997

Transitions between states



©Dennis Bricker, U. of Iowa, 1997

Textbook SalesTransition Probability Matrix

f				
r				
o	1	2	3	4
m	---	---	---	---
1	0.1	0.9	0	0
2	0.2	0	0.8	0
3	0.4	0	0	0.6
4	1	0	0	0

©Dennis Bricker, U. of Iowa, 1997

Textbook Sales

System costs/revenues by state

i	name		--COST--
1	New book	6	
2	Once-used	3	
3	Twice-used	2	
4	Thrice-used	1	

©Dennis Bricker, U. of Iowa, 1997

Textbook Sales

<u>i</u>	<u>State</u>	<u>Pi</u>	<u>C</u>	<u>Pi×C</u>
1	New book	0.327654	6	1.965924
2	Once-used	0.2948886	3	0.88466579
3	Twice-used	0.23591088	2	0.47182176
4	Thrice-used	0.14154653	1	0.14154653

The average cost/period in steady state is 3.4639581

©Dennis Bricker, U. of Iowa, 1997

Textbook Sales

Initial state: 1, interest rate= 15%

Present Values by Period

<u>n</u>	<u>Cn</u>	<u>PVCn</u>	<u>Vn</u>
0	6	6	6
1	3.3	2.8695652	8.8695652
2	2.85	2.1550095	11.024575
3	3.039	1.9981918	13.022766
4	4.3593	2.4924439	15.51521
5	3.22935	1.6055577	17.120768
6	3.214041	1.3895186	18.510287
7	3.4710135	1.3048825	19.815169
8	3.7388991	1.2222528	21.037422
9	3.3193954	0.94357933	21.981001
10	3.393059	0.83871229	22.819714
	Expected profit in yr. n	Present value	Cumulative present value

©Dennis Bricker, U. of Iowa, 1997



©Dennis Bricker, U. of Iowa, 1997

Textbook SalesMean First Passage Times

```

fi
ri
oi  1      2      3      4
mi  ----  ----  ----  ----
1|3.052  1.1111111  2.6388889  6.0648148
2|2.28   3.3911111  1.5277778  4.9537037
3|1.6    2.7111111  4.2388889  3.4259259
4|1      2.1111111  3.6388889  7.0648148

```

i	name
1	New book
2	Once-used
3	Twice-used
4	Thrice-used

©Dennis Bricker, U. of Iowa, 1997

The *Herald Tribune* has obtained the following information about its subscribers:

- during the 1st year as subscribers, 20% will cancel their subscriptions
- of those who have subscribed for 1 year, 10% will cancel their subscriptions in the 2nd year
- of those who have been subscribing more than 2 years, 4% will cancel during any given year.

On the average, how long does a subscriber subscribe to this newspaper?



©Dennis Bricker, U. of Iowa, 1997

General Motors has 3 auto divisions (A,B,&C), served by an accounting & management consulting departments.

They desire to know what % of cost of the support departments should be allocated to each of the auto divisions.



©Dennis Bricker, U. of Iowa, 1997

The following table gives the fraction of the support given to each of the divisions

	Acctg.	Mgmt consult.	Auto A	Auto B	Auto C
Acctg.	10%	30%	20%	20%	20%
Mgmt consult.	30%	20%	30%	0	20%

©Dennis Bricker, U. of Iowa, 1997

Each year, it costs \$63 million to run the Accounting Dept., and \$210 million to run the Mgmt. Consulting Dept. These costs are to be allocated entirely to the auto divisions. How should this be done?

Model


©Dennis Bricker, U. of Iowa, 1997

We will model a dollar of cost as a Markov chain,
with 5 possible states:

- 1) Accounting Dept.
- 2) Management Consulting Dept.
- 3) Auto Division A
- 4) Auto Division B
- 5) Auto Division C

This dollar gets "passed" from one support
department to another until eventually it gets
"absorbed" by one of the 3 auto divisions!

©Dennis Bricker, U. of Iowa, 1997



©Dennis Bricker, U. of Iowa, 1997

Transition Probability Matrix

		to				
		1	2	3	4	5
from	1	0.1	0.3	0.2	0.2	0.2
	2	0.3	0.2	0.3	0	0.2
	3	0	0	1	0	0
	4	0	0	0	1	0
	5	0	0	0	0	1

©Dennis Bricker, U. of Iowa, 1997

Analysis of Markov Chain with Absorbing States

A = Absorption Probabilities

		to		
		3	4	5
f r o m	1	0.3968254	0.25396825	0.34920635
	2	0.52380952	0.095238095	0.38095238

©Dennis Bricker, U. of Iowa, 1997

E = Expected No. Visits to Transient States

		to	
		1	2
f r o m	1	1.2698413	0.47619048
	2	0.47619048	1.4285714

©Dennis Bricker, U. of Iowa, 1997

$$\begin{array}{c} \text{support} \\ \text{costs} \end{array} \rightarrow [63 \quad 210] \begin{bmatrix} 0.39683 & 0.25397 & 0.34921 \\ 0.52381 & 0.09524 & 0.38095 \end{bmatrix}$$
$$= [135 \quad 36 \quad 102]$$

So \$135 million of the support costs should be assigned to Division A, \$36 million to Division B, and \$102 million to Division C.