		FPPPPPPPPP 57:( Final 1 FPPPPPPPPP	<b>PHAP</b> 022 Principles of Design II Exam Solutions - Spring 1997	
Part: Possible Pts:	I 52	II III 10 12	IV         V         VI         Total           16         13         12         115	
		r <b>ynnnn</b> n	PART ONE minim	

## Indicate "+" if True and "o" if False:

- <u>+</u> a. If a component's lifetime has an exponential distribution, its failure rate ("hazard rate") is constant.
- <u>+</u> b. The steadystate distribution for a continuous-time Markov chain must satisfy =0 where is the transition rate matrix.
- <u>o</u> c. If two components of a system have a parallel configuration with respect to system reliability, then both are required to function in order for the system to function.
- o\_d. If two components of a system have a series configuration with respect to system reliability, then the second component replaces the first when it fails, and the system then fails when the second component fails.
- <u>o</u>e. In a discrete-time Markov chain, the sum of each column of the transition probability matrix P must be 1.
- $\underline{o}$  f. In an M/M/1 queueing system,  $_{o}$  represents the probability that the server is busy.
- <u>+ g</u>. If the server of an M/M/1 system is modified so that the service time is constant, but equal to the average service time of the M/M/1 system, the average time spent in the queue is reduced.
- <u>+ h.</u> In a continuous-time Markov chain, it is assumed that the time between transitions has an exponential distribution.
- + i. In a discrete-time Markov chain, a state that is not transient is called "recurrent".
- + j. In a discrete-time Markov chain with absorbing states, the diagonal elements of the matrix E must be greater than or equal to 1.
- + k. PERT assumes that the project duration has a Normal distribution.
- <u>+</u> 1. R(t)+F(t)=1 for all t, where R and F are the reliability function and the cumulative distribution function of the failure time, respectively.
- <u>o</u>m. If two components of a system have a series configuration with respect to system reliability, the system lifetime is the maximum of the two component lifetimes.
- <u>o</u>n. PERT assumes that each activity's duration has a Normal distribution.
- $\pm$  o. The exponential distribution is a special case of an Erlang distribution.
- o\_p. "Birth/death" processes are a special class of discrete-time Markov chains.
- + q. In a discrete-time Markov chain, an absorbing state may also be a recurrent state.
- <u>+</u> r. The argument x of the gamma function (x) may be any real nonnegative number, and is equal to (x-1)! for positive integer values of x.
- o\_s. If 3 components of a system have a parallel configuration with respect to system reliability, then the system lifetime is the sum of the component lifetimes.
- <u>+ t</u>. In a Poisson arrival process, the number of arrivals during an hour has the Poisson distribution.
- $\underline{o}$  u. In an M/M/2 queueing system, it is assumed that the each of two servers has its own queue, and customers cannot change queues once they have entered the system.
- + v. In an M/M/2 queueing system, it is assumed that the arrival process is Poisson.
- $\underline{\mathbf{o}}$  w. In a continuous-time Markov chain, the transition rate ii from a state to itself must be defined to be zero.
- + x. In an M/M/2 queueing system, it is assumed that the servers work at the same rate.

- <u>+</u> y. Disregarding "Begin" and "End" activities,"Dummy" activities are unnecessary in the "Activity-on-Node" representation of a project.
- + z. "Birth/death" processes are a special class of continuous-time Markov chains.
- $\underline{\mathbf{o}}$  A. In a discrete-time Markov chain, the steadystate probability distribution must satisfy the equation P = .
- $\underline{\mathbf{o}}$  B. The exponential distribution is a special case of a Weibull distribution with k=0.
- $\underline{\mathbf{o}}$  C. An M/ $\underline{\mathbf{E}}_k/1$  queueing system can be modelled as a birth-death process.
- <u>+</u> D. In a discrete-time Markov chain having a steadystate distribution, the mean recurrence time  $(m_{ii})$  times the probability <sub>i</sub> is a constant.
- <u>+</u> E. If  $t_i$  is the i<sup>th</sup> failure time of 100 batteries (i=1,2,...25), and the lifetimes have a Weibull distribution, then a plot of ln  $t_i$  vs ln ln  $\frac{100}{(100-i)}$ , i=1,2,...25 should be (approximately) a straight line with slope equal to the "shape" parameter k.
- + F. An ARENA model of a project employs the "Activity-on-Node" rather than "Activity-on-Arrow" representation of the project.
- <u>+</u> G. In a discrete-time Markov chain, the steadystate probability distribution must satisfy the equation  $P^t = .$
- <u>+</u> H. Both the triangular and beta distributions for a project activity's duration are uniquely specified when you give the minimum & maximum durations and a most likely duration.
- I. If a component's lifetime has Weibull distribution with k>0, its failure rate ("hazard rate") is increasing.
- o J. In a Poisson arrival process, the time between arrivals has the geometric distribution.
- + K. The "Rejection" technique may be used to generate random numbers representing activity durations in a project, if those durations have either triangular or beta distribution.
- <u>o</u>L. In a continuous-time Markov chain, the sum of each row of the transition rate matrix must be 1.
- <u>+ M.</u> In an M/M/1 queueing system, with arrival rate 1/minute and service time averaging 15 seconds, we would expect the server to be busy less than 50% of the time.
- <u>+</u>N. In a discrete-time Markov chain, a state that is a member of a "minimal closed set" is called "recurrent".
- $\underline{o}$  O. In an M/M/1/N queueing system, N represents the capacity of the waiting line.
- $\underline{o}$  P. In an M/M/2 queueing system, at most 2 customers may be in the system at any time.
- $\underline{o}$  Q. In an M/M/1 queueing system, the greek letter denotes the probability that the server is idle.
- <u>+</u> R. For an infinite-capacity single-server queue (M/M/1), a steady state exists only if the arrival rate is less than the service rate.
- S. In a discrete-time Markov chain with absorbing states, the sum of each row of the matrix E is 1.
- <u>o</u> T. In a continuous-time Markov chain, it is assumed that the time until the next transition of the system has a Poisson distribution.
- <u>+</u>U. If two components of a system have a parallel configuration with respect to system reliability, the system lifetime is the maximum of the two component lifetimes.
- V. In an M/M/1 queueing system, with an average of 30 seconds between arrivals and an average of 3 customers in the system, we would expect the average time spent by a customer in the system to be at least 2 minutes.
- <u>+</u>W. Each replication in a simulation experiment must begin with a different random number seed, or else the results of the replications will be identical.
- $\underline{o}$  X. In an M/G/1 queueing system, the service time distribution is assumed to be Gamma.
- <u>o</u>Y. An M/M/1/N queueing system has a steadystate distribution if and only if the arrival rate is strictly less than the service rate  $\mu$ .
- $\bullet$  Z. A Poisson process is a special case of a birth-death process, in which death is caused by poissoning.

PART TWO

\_3\_e. The "Cumulative Distribution Function" (CDF) of any random variable X is defined as

- 1.  $f(x) = P\{x \mid X\}$  2.  $F(x) = P\{X \mid x\}$  

   4.  $f(x) = P\{X \mid x\}$  5.  $F(x) = P\{X = x\}$ 
  3.  $F(x) = P\{X | x\}$
- 6.  $f(x) = P\{x\}$

#### PART THREE mmm

Write the **number** corresponding to the correct probability distribution in each blank below. Note that some distributions may apply in more than one case, while others not at all!

- <u>3</u> a. number of cars passing through an intersection during a 1-minute green light.
- $2_{\rm b}$ . number of trucks among the first 10 vehicles to arrive at an intersection during a red light
- $\overline{8}$  c. sum of ten N(0,1) random variables
- $1\overline{2}$  d. time until the arrival of the second car at an intersection after a traffic light has turned red.
- 8\_e. completion time of a large project with random task durations
- $\overline{7}$  f. time between the arrivals of the first and second vehicle during a red light.
- $_{7}$  g. interarrival time for the M/M/1 queueing system

mmm

- $1\overline{3}$  h. magnitude of the highest rate of flow into the Coralville Reservoir next year
- <u>1</u> i. number of heads obtained by tossing a single coin once.
- $\overline{2}$  i. number of defective items found when testing a batch of size 10
- 14\_k. sum of the squares of ten N(0,1) random variables
- 6\_1. number of items produced in order to obtain 4 acceptable items, if each is tested before producing the next

# Probability distributions:

- 1. Bernouilli
- 2. Binomial
- 3. Poisson
- 4. Uniform
- 5. Beta

- 6. Geometric
- 6. Geometric7. Exponential8. Normal
- 8. Normal
- 9. Weibull
- 10. Triangular
- 11. Pascal (negative binomial)
- 12. Erlang-k with k>1
- 13. Gumbel
- 14. Chi-square

#### PART FOUR minimum

A rat is placed in room #1 of a maze shown below on the left. A Markov chain model has been built where the state of the "system" is the location of the rat after each move. In assigning transition probabilities, it is assumed that the rat is equally likely to leave a location by any of the available doors, including the door by which he entered. (If he arrives at a "dead end", he will retrace his last move with probability 1.) Consult the given computer output to answer the following questions:

mmm



$\underline{d}$ 1. If we record the rat's loc	cation over a period of severa	l days, which location do you expect		
to be visited most frequent	ntly by the rat?			
a. all equally often	b. locat	ion 7 more often than others		
c. locations 3 & 5 equal	y often d. locat	d. locations 3, 5, &7 equally often		
e.	locations 1, 3, 5, &7 equally	y often		
c 2. If the rat begins in locat	ion #10, what is the expected	number of moves required to reach		
location #11?	, <b>1</b>	1		
a. five	b. between 5 and 20	c. between 20 and 50		
d. between 50 and 75	e. between 75 and 100	f. over 100		
b_ 3. If the rat begins in locat	ion #5, how many moves wil	l we expect the rat to make before		
returning to his starting p	point, location #5?	•		
a. five	b. between 5 and 10	c. between 10 and 25		
d. between 25 and 50	e. between 50 and 100	f. over 100		
a_ 4. The number of <i>transien</i>	at states in this Markov chain	model is		
- a. 0	b. 6	c. 9		
d. 10	e. 12	f. none of the above		

Now suppose that food is placed in locations 11 and 12, so that the rat does not leave when he finds it. States 11 & 12 then become absorbing states, and the Markov chain model becomes:



The absorption and expected number of visit matrices are:

$A^{\circ}$	=		=	-									
	11	12		1	2	з	4	5	6	7	8	9	10
1 2 3 4 5 6 7 8 9	0.69 0.655 0.621 0.414 0.724 0.759 0.793 0.207 0.207	0.31 0.345 0.379 0.586 0.276 0.241 0.207 0.793 0.276	1 2 3 4 5 6 7 8 9	4.07 2.97 1.86 1.24 3.17 2.28 1.38 0.62 3.17	2.97 3.52 2.07 1.38 2.41 1.86 1.31 0.69 2.41	2.79 3.1 3.41 2.28 2.48 2.17 1.86 1.14 2.48	1.24 1.38 1.52 2.34 1.1 0.96 0.82 1.17 1.1	4.76 3.62 2.48 1.66 5.9 4.03 2.17 0.82 5.9	2.28 1.86 1.45 0.96 2.69 3.1 1.52 0.48 2.69	2.07 1.97 1.86 1.24 2.17 2.28 2.38 0.62 2.17	0.62 0.69 0.75 1.17 0.55 0.48 0.41 1.59 0.55	3.17 2.41 1.66 1.1 3.93 2.69 1.45 0.55 5.93	1.59 1.21 0.82 0.55 1.97 1.34 0.72 0.27 2.97
10	0.724	0.276	10	3.17	2.41	2.48	1.1	5.9	2.69	2.17	0.55	5.93	3.97

<u>b</u> 5. If the rat begins at location #4, the probability that the rat finds the food at location #12 first (before the food at #11) is (nearest to)

50%	b. 60%	с.	70%
80%	e. 90%	f.	95%
he expected number of t	imes that the rat returns to	his initial location	(#4) before fin

- <u>a</u> 6. The expected number of times that the rat returns to his initial location (#4) before finding food is
  - a. less than 4b. between 4 and 8c. between 8 and 15d. between 15 and 25e. between 25 and 50f. more than 50

a. d.

d_ 7. If the rat, starting at le	ocation #4, manages to re	each location #8 before finding food, the
probability that he first	finds the food at location	n #12 instead of #11 is (nearest to)
a. 50%	b. 60%	c. 70%
d. 80%	e. 90%	f. 95%
d_ 8. The number of <i>transi</i>	ent states in this second ]	Markov chain model is
a. 0	b. 2	c. 9
d. 10	e. 12	f. none of the above

### MINIM PART FIVE MINIM

A single repairman is responsible for maintaining two machines in working condition. When both machines are in good condition, they both operate simultaneously. However, a machine operates for an average of only 1 hour, when it fails and repair begins. Repair of a machine requires an average of 30 minutes. (Only one machine at a time can be repaired.) Define a continuous-time Markov chain with states:

- A. Both machines have failed, with repair in progress on one machine
- B. One machine is operable, and the other is being repaired
- C. Both machines are in operating condition



<u>e</u> 1. In this model, the probability distribution of the time required to repair a machine is assumed to be:

a. Uniform	b. Markov	c. Poisson
d. Normal	e. exponential	f. None of the above
$\b_2$ . The transition rate <sub>BA</sub> is	S	
a. 0.5/hour	b. 1/hour	c. 2/hour
d <sub>BA</sub>	e. <sub>BA</sub>	f. None of the above
$\underline{c}$ 3. The transition rate $_{CB}$ is	S	
a. 0.5/hour	b. 1/hour	c. 2/hour
d BC	e. <sub>BC</sub>	f. None of the above
$\underline{b}$ 4. The repair time will be le	ess than t with probability	
a. e <sup>-2t</sup>	b. 1 - e <sup>-2t</sup>	c. $1 - e^{2t}$
d. 1-2e <sup>-t</sup>	e. 2e <sup>t</sup>	f. None of the above
<u>a,b,e</u> 5. The steady-state probabi	lity distribution must satisf	y the equation(s) (choose one or
more):		
a. $A + B + C = 1$	b. $AB A = 1$	BA B
c. $BA A = AB B$	d. $A = AB$	A + (BA + BC) B + CB C
e. BC $B = CB C$	f. $B = AB$	A + (BA + BC) B + CB C
$\underline{f}$ 6. The average utilization of	f each of these machines ir	n steady state (i.e., the fraction of
maximum capacity at whi	ch they will operate), is:	
a. <sub>B</sub> + <sub>C</sub>	b. $(B^+ C)/2$	с. <sub>B</sub> +2 с
d. A <sup>+</sup> B <sup>+</sup> C	e. 2( <sub>B</sub> + <sub>C</sub> )	f. $(B+2C)/2$
7. Is this continuous-time Marko	v chain a "birth/death" proc	cess? (Circle: <u>Yes</u> No)

## PART SIX mmmm

For each class of queueing system below, find a matching birth/death model which might belong to that class. If none of the b/d models fit the classification, write "none"

Queue	B/D Model	Queue	B/D Model
M/M/2	<u> </u>	M/M/2/4/4	_none
M/M/1/2	<u></u>	M/M/2/2	<u> </u>
M/M/4	<u> </u>	M/M/1	<u>B</u>

mmm

Birth/Death Models



AT LAST, THE END!