




five chips after three plays of

the game.

page 1







©Dennis Bricker, U. of Iowa, 1997

```
⊽VALUE←F N;t
 Θ.
            Optimal Value Function of DP model
 м
               of the Casino Problem
 м
 м.
→LAST IF N=4
               Evaluate Optimal Value Function
м
VALUE←P MAXAE (F N+1)[TRANSITION s ∘.+ x ∘.× d]
→0
     After last play, return 1 if target is achieved,
м
 Θ.
             else return O
LAST:VALUE←(s ≥ TARGET),-BIG
Ψ
```

X		Stage 3								
s	0	1	2	3	4	5				
0 1 2 3 4 5	$0.00 \\ 0.00 \\ 0.00 \\ 0.00 \\ 0.00 \\ 1.00 \\ 1.00 \\ 1.00 \\ 0.01 \\ 0.00 \\ $	-99.99 0.00 0.00 0.00 0.60 -99.99	-99.99 -99.99 0.00 0.60 -99.99 -99.99	-99.99 -99.99 -99.99 -99.99 -99.99 -99.99 -99.99	-99.99 -99.99 -99.99 -99.99 -99.99 -99.99 -99.99	-99.99 -99.99 -99.99 -99.99 -99.99 -99.99 -99.99				

©Dennis Bricker, U. of Iowa, 1997


X				Stage 3					
s	0	1	2	3	4	5			
0 1 2 3 4 5	0.00 0.00 0.00 0.00 0.00 1.00	v • • • •	-99.99 -99.99 0.00 0.60 -99.99 -99.99	-99.99 -99.99 -99.99 -99.99 -99.99 -99.99 -99.99	-99.99 -99.99 -99.99 -99.99 -99.99 -99.99) -99.) -99.) -99.) -99.	99 99 99 99		
						State	Optimal Values	. Optimal Decisions	
						0 1	0.00 0.00	0	
						2	0.00	0 1	
						3 4 5	0.60 0.60 1.00	1 2 1 0	
					l		©Denmis-Brid	skery U. of Ioway 1	97

X			Sta	.ge 2			
s	0	1	2	3	4	5	_
0 1 2 3 4 5	$\begin{array}{c} 0.00\\ 0.00\\ 0.00\\ 0.60\\ 0.60\\ 1.00 \end{array}$	-99.99 0.00 0.36 0.36 0.84 -99.99	-99.99 -99.99 0.36 0.60 -99.99 -99.99	-99.99 -99.99 -99.99 -99.99 -99.99 -99.99 -99.99	-99.99 -99.99 -99.99 -99.99 -99.99 -99.99 -99.99	-99.99 -99.99 -99.99 -99.99 -99.99 -99.99 -99.99	

©Dennis Bricker, U. of Iowa, 1997

X	Stage 2							
s	0	1	2	3	4	5	_	
0 1 2 3 4 5	$\begin{array}{c} 0.00\\ 0.00\\ 0.00\\ 0.60\\ 0.60\\ 1.00 \end{array}$	-99.99 0.00 0.36 0.36 0.84 -99.99	-99.99 -99.99 0.36 0.60 -99.99 -99.99	-99.99 -99.99 -99.99 -99.99 -99.99 -99.99 -99.99	-99.99 -99.99 -99.99 -99.99 -99.99 -99.99	-99.99 -99.99 -99.99 -99.99 -99.99 -99.99		

State	Optimal Values	Optimal Decisions	
0	0.00	0	
1		1	
2	0.36	1 2	
3	0.60	0 2	
4 5	0.84	ĩ	
	1.00 Oberanis Brick	ker, U. of Iowa, 196	97




©Dennis Bricker, U. of Iowa, 1997

\ <u>></u>	,		Stage	1					
s `	0	1	2		3	4	Ę	5	
0 1 2 3 4 5	0.00 0.00 0.36 0.60 0.84 1.00	-99.99 0.22 0.36 0.65 0.84 -99.99	-99.99 -99.99 .50 .60 -99.99 -99.99	-99 -99 -99 -99 -99 -99	.99 .99 .99 .99	-99.9 -99.9 -99.9 -99.9 -99.9 -99.9	9 -99 9 -99 9 -99 9 -99	.99 .99 .99 .99	
We see .	that (a	ssumin	ng		Sta		timal lues	Optimal Decisions	5
that p=b	50 <i>%) h</i> e	e has a			01).00	0	

that p=60%) he has a 65% probability of winning the bet with his friends.

State	Optimal Values	Optimal Decisions
0	0.00	0
1 2	0.22 0.50	1 2
2 3	$0.65 \\ 0.84$	1
т		ĭ
5	1.00	0

DP.Casino



10/31/97

page 7