

## Electric Generator Control MDP Example

This Hypercard stack was prepared by:  
 Dennis L. Bricker,  
 Dept. of Industrial Engineering,  
 University of Iowa,  
 Iowa City, Iowa 52242  
 e-mail: dbricker@icaen.uiowa.edu

author

An electricity plant has two generators for generating electricity.  
 The demand fluctuates during the day, which is divided into 4-hour blocks of time.  
 $d_k$  = demand during block  $k$ ,  $k=1,2,3,4,5,6$

An excess of electricity produced cannot be stored.  
 $c_j$  = capacity (kWh /4hr) of electricity of generator  $j$   
 $r_j$  = operating cost/4hr of generator  $j$   
 $S_j$  = setup cost to turn on an idle generator

©Dennis Bricker, U. of Iowa, 1998

What control rule will minimize the daily cost?

Data

k	1	2	3	4	5	6
$d_k$	20	40	60	90	70	30

j	$c_j$	$S_j$	$r_j$
1	40	500	1000
2	60	300	1100

**States**

$(t, m)$  where  
 $t$  = period of the day  $t=1,2,\dots,6$ ;  
 $m$  indicates which generators are on:  
 { 1: generator 1 only  
 { 2: generator 2 only  
 { 3: both generators

**Actions**

$k =$   
 { 1: generator 1 only  
 { 2: generator 2 only  
 { 3: both generators

©Dennis Bricker, U. of Iowa, 1998

©Dennis Bricker, U. of Iowa, 1998

**States**

i	name
1	1 1
2	1 2
3	1 3
4	2 1
5	2 2
6	2 3
7	3 1
8	3 2
9	3 3
10	4 1
11	4 2
12	4 3
13	5 1
14	5 2
15	5 3
16	6 1
17	6 2
18	6 3

**actions**

k	name
1	Use generator 1
2	Use generator 2
3	Use both generators

action:

1 Use generator 1

Transition Matrix

f   to	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
r	0	1	2	3	4	5	6	7	8	9	1	1	1	1	1	1	1	1
m	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

©Dennis Bricker, U. of Iowa, 1998

action:

2 Use generator 2

Transition Matrix

f   to	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
r	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8
m	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

action:

3 Use both generators

Transition Matrix

f   to	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	
r	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8
m	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

©Dennis Bricker, U. of Iowa, 1998

©Dennis Bricker, U. of Iowa, 1998

