
Lesson 19: SCS (NRCS) Runoff Method

SCS (NRCS) Rainfall-Runoff Relation



- P accumulated precipitation
- I_a initial abstraction (before ponding)
- F_a additional abstractions (after ponding)
- P_e accumulated rainfall excess

SCS (NRCS) Parameter Estimation

The retention volume *S* is found by:

CN is the runoff curve number (0<CN<100)

Runoff curve number (CN)

CN is estimated based on:

- _____
- .
- I _____

For non-homogeneous catchments, a	CN is found:
$CN = \sum_{i} \frac{A_{i}}{A} CN_{i}$	
Hydrologic Soil Group	
Group A: ()	
 deep sand, deep loess, aggregated silts 	
Group B:	
shallow loess, sandy loam	
Group C:	
 clay loams, shallow sandy loam 	
Group D: ()	
heavy plastic clays	
Antecedent Moisture Conditions	
AMC I ()	
AMC II ()	
AMC III ()	
Tables contain <i>CN</i> for AMC II. Use equations 5.74 and 5.75 to contain <i>CN</i> for AMC II.	onvert to AMC I and
AMC III.	

Table 2-2a.-Runoff curve numbers for urban areas1

Cover description		Curve numbers for hydrologic soil group—				
Cover type and hydrologic condition	Average percent impervious area ²	A	В	С	D	
Fully developed urban areas (vegetation established)			•			
Open space (lawns, parks, golf courses, cemeteries, etc.) ² :						
Poor condition (grass cover < 50%)		68	79	86	89	
Fair condition (grass cover 50% to 75%)		49	69	79	84	
Good condition (grass cover > 75%)		39	61	74	80	
mpervious areas:						
Paved parking lots, roofs, driveways, etc.						
(excluding right-of-way)		98	9 8	98	98	
Streets and roads:						
Paved: curbs and storm sewers (excluding	•				•	
right-of-way)		98	9 8	98	98	
Paved; open ditches (including right-of-way)		83	89	92	93	
Gravel (including right-of-way)		76	85	89	91	
Dirt (including right-of-way)		72	82	87	89	
Vestern desert urban areas:						
Natural desert landscaping (pervious areas only)4	•	63	77	85	88	
Artificial desert landscaping (impervious weed						
barrier, desert shrub with 1- to 2-inch sand						
or gravel mulch and basin borders)	•	96	96	96	96	
Jrban districts:						
Commercial and business	85 ·	89	92	94	95	
Industrial	72	81	88	91	93	
Residential districts by average lot size:						
1/8 acre or less (town houses)	65	77	85	90	92	
1/4 acre	38	61	75	83	87	
1/3 acre	30	57	72	81	86	
1/2 acre	25	54	70	80	85	
1 acre	20	51	68	.79	84	
2 acres	12	46	65	77	82	
- Developing urban areas				•		
Newly graded areas (pervious areas only,				•		
no vegetation) ^s		77	86	91	94	
idle lands (CN's are determined using cover types	•	•	·	_		
similar to those in table 2-2c).					•	

Average runoff condition, and $I_a = 0.2S$.

The average percent impervious area shown was used to develop the composite CN's. Other assumptions are as follows: impervious areas are directly connected to the drainage system, impervious areas have a CN of 98, and pervious areas are considered equivalent to open space in good hydrologic condition. CN's for other combinations of conditions may be computed using figure 2-3 or 2-4. 3CN's shown are equivalent to those of pasture. Composite CN's may be computed for other combinations of open space cover type.

^{**}Composite CN's for natural desert landscaping should be computed using figures 2-3 or 2-4 based on the impervious area percentage (CN = 98) and the pervious area CN. The pervious area CN's are assumed equivalent to desert shrub in poor hydrologic condition.
**Composite CN's to use for the design of temporary measures during grading and construction should be computed using figure 2-3 or 2-4, based on the degree of development (impervious area percentage) and the CN's for the newly graded pervious areas.

Table 2-2b.-Runoff curve numbers for cultivated agricultural lands'

Cover description			Curve numbers for hydrologic soil group—			
Cover type	Treatment ²	Hydrologic condition ³	A	В	С	. D
Fallow	Bare soil		77	86	91	94
	Crop residue cover (CR)	Poor Good	76 74	85 83	90 88	93 90
SR + CR	Straight row (SR)	Poor Good	72 67	- S1 78	88 85	91 89
	SR + CR	Poor Good	71 64	80 75	87 82	90 85
	Contoured (C)	Poor Good	70 65	79 75	84 82	38 86
	C + CR	Poor Good	69 64	78 74	83 81	87 8 5
	Contoured & terraced (C&T)	Poor Good	66 62	74 71	80 78	3 <u>2</u> 81
C&T + CR	C&T + CR	Poor Good	65 61	73 70	79	81 80
Small grain	SR	Poor Good	65 63	76 75	84 83	88 87
-	SR + CR	Poor Good	64 60	75 72	83 80	86 84
C C + CR C&T C&T + CR	С	Poor Good	63 61	74 73	82 81	85 84
	C + CR	Poor Good	62 60	73 72	81 80	84 83
		Poor Good	61 59	72 70	79 78	82 81
	C&T + CR	Poor Good	60 58	71 69	78 77	81 80
Close-seeded or broadcast legumes or rotation meadow	SR	Poor Good	66 58	77 72	85 81	39 35
	c .	Poor Good	64 55	75 69	83 78	85 83
	C&T	Poor Good	63 51	73 67	· 80 76	83 80

Average runoff condition, and $I_n = 0.28$.

2Composition is based on combination of factors that affect infiltration and runoff, including (a) density and canopy of vegetative areas, (b) amount of year-round cover, (c) amount of grass or close-sected legumes in rotations, (d) percent of residue cover on the land surface (good ≥ 2%), and (e) degree of surface roughness.

Point Factors impair infiltration and tend to increase runoff.

Cond. Factors encourage average and better than average infiltration and tend to decrease runoff.

Table 2-2c.-Runoff curve numbers for other agricultural lands1

Cover description		Curve numbers for hydrologic soil group—				
Cover type	Hydrologic condition	A	В	С	D	
Pasture. grassland. or range—continuous	Poor	6 8	79	86	39	
forage for grazing.2	Fair -	49	69	79	84	
	Good	39	61	. 74	8 0	
Meadow—continuous grass, protected from grazing and generally mowed for hay.	. <u>-</u>	30	58	71	78	
Brush-brush-weed-grass mixture with brush	Poor	48	67	7.7	· 83	
the major element.3	Fair	35	5 6	* 70	77	
	Good	430	48	65	73	
Woods—grass combination (orchard	Poor	57	73	82	86	
or tree farm).5	Fair	43	65	76	82	
	Good	32	5 8	72	. 79	
Woods.6	Poor	45	66	77	83	
	Fair	36	60	73	79	
	Good	430	55	70	11	
Farmsteads—buildings, lanes, driveways, and surrounding lots.	· -	59	74	82	86	

¹Average runoff condition, and $I_u = 0.2S$.

>75% ground cover.

*CN's shown were computed for areas with 50% woods and 50% grass (pasture) cover. Other combinations of conditions may be computed from the CN's for woods and pasture.

² Poor:

 ² Pour: <50% ground cover or heavily grazed with no mulch.
 Fair: 50 to 75% ground cover and not heavily grazed.
 >75% ground cover and lightly or only occasionally grazed.

³ Poort <50% ground cover. 50 to 75% ground cover. Fair Gund:

^{*}Actual curve number is less than 30; use CN = 30 for runoff computations.

^{*}Poor: Forest litter, small trees, and brush are destroyed by heavy grazing or regular burning.

Fair: Woods are grazed but not burned, and some forest litter covers the soil.

Gund: Woods are protected from grazing, and litter and brush adequately cover the soil.